



Andorra

It's Your Light!

Andorra

Developed for Luraline by award-winning designer Louis A. Lara, Andorra pendant, sconce, ceiling and bath strip fixtures bring a new aesthetic to the world of lighting. Frosted white or self-frosting clear acrylic materials are combined with

uniquely shaped satin-finish acrylic cowls in four jewel tones that are infused with a soft glow when lit. This marriage of shape, color and materials creates beautiful compositions of light and form, whether in hospitality, commercial or residential applications. Lamping options for Andorra include incandescent, compact fluorescent and compact fluorescent with electronic ballast. Finished with brushed nickel details, Andorra is also available in custom colors and configurations upon request.

AP SERIES



APC 14
EMERALD/ICE



APS 18
EMERALD/SNOW

APC - Cord-hung pendant, 72-inch black cord.
(Custom cord lengths are available)

APS - Stem-hung pendant, 24-inch stem.
(12-inch stem extenders are available)


Catalog #	H	W	OAL
APC 14i/f	6-3/4	14	81-3/4
APC 18i/f	9	18	84
APS 14i/f/e	6-3/4	14	33-3/4
APS 18i/f/e	9	18	36


i - Accepts incandescent G25/30 Lamp (medium base) 120V, 60 Watt maximum.

f - Includes "bare lamp" 13 Watt compact fluorescent double twin tube lamp (GX23-2 base) 120V/NPF magnetic ballast.

e - Includes "bare lamp" compact fluorescent triple twin tube lamp **26 Watt** (APS 14), **32 Watt** (APS 18) (G24qx 4-pin base) 120V thru 277V HPF electronic ballast.

Not available on APC (cord hung) models.





Sapphire

Emerald

Ruby

Citrine

Ice

Snow

Mix and match any Andorra color, with Snow or Ice diffuser and create the mood that best suits your environment.


ACM SERIES

It's Your Light!

Andorra offers your choice of eight shimmering color combinations, each finished with brushed-nickel plated details.



ACM 14
SAPPHIRE/SNOW




ACM 18
SAPPHIRE/ICE

Catalog #	H	W
ACM 14i	5	14
ACM 14f	5	14
ACM 14e	5	14
ACM 18i	6-3/4	18
ACM 18f	6-3/4	18
ACM 18e	6-3/4	18

i - Accepts incandescent A lamp (medium base) 120V, 60 Watt maximum.

f - Includes 13 Watt compact fluorescent twin tube lamp (GX23 base) 120V/NPF magnetic ballast.
Note: (2) lamps per ACM 14, (3) per ACM 18

e - Includes compact fluorescent double twin tube lamp **18 Watt** (ACM 14), **26 Watt** (ACM 18) (G24qx 4-pin base) 120V thru 277V HPF electronic ballast.
Note: (2) lamps per fixture:



Andorra

Developed for Luraline by award-winning designer Louis A. Lara, Andorra pendant, sconce, ceiling and bath strip fixtures bring a new aesthetic to the world of lighting. Frosted white or self-frosting clear acrylic materials are combined with



uniquely shaped satin-finish acrylic cowls in four jewel tones that are infused with a soft glow when lit. This marriage of shape, color and materials creates beautiful compositions of light and form, whether in hospitality, commercial or residential applications. Lamping options for Andorra include incandescent, compact fluorescent and compact fluorescent with electronic ballast. Finished with brushed nickel details, Andorra is also available in custom colors and configurations upon request.

AWS SERIES




It's Your Light!

When your design criteria demands lighting efficiency, specify Compact Fluorescent lamping. Choose from either magnetic or high performance electronic ballasts.



Catalog #	H	W	E	M/C
AWS 6i	15	6	5	6
AWS 6f	15	6	5	6
AWS 6e	15	6	5	6
AWS 14i	7	14	4	3-1/8
AWS 14f	7	14	4	3-1/8
AWS 14e	7	14	4	3-1/8
AWS 18i	9-1/4	18	4	3-3/8
AWS 18f	9-1/4	18	4	3-3/8
AWS 18e	9-1/4	18	4	3-3/8

- i** - Accepts incandescent T10 lamp (medium base) 120V, 60 Watt maximum.
- f** - Includes 13 Watt compact fluorescent twin tube lamp (GX23 base) 120V/NPF magnetic ballast.
Note: (2) lamps per AWS 18.
- e** - Includes compact fluorescent double twin tube lamp **18 Watt** (AWS 14), **26 Watt** (AS 6) (G24qx 4-pin base) 120V thru 277V HPF electronic ballast.





Mix and match any Andorra color, with Snow or Ice diffuser and create the mood that best suits your environment.


ALF SERIES



ALF 32 CITRINE/SNOW



T5 - the next generation of linear fluorescent lamps - provides excellent color rendering (CRI) while delivering up to 104 Lumens Per Watt (LPW).




ALF 44 CITRINE/SNOW



ALF 56 CITRINE/ICE

Catalog #	L	W	E	M/C
ALF 32e	32-1/4	6-1/2	5	3-1/4
ALF 44e	44-1/4	6-1/2	5	3-1/4
ALF 56e	56-1/4	6-1/2	5	3-1/4



e - Includes T5 fluorescent (mini bi-pin base) lamp, 120V thru 277V - HPF electronic ballast.

Note: (2) lamps per fixture: **F14T5** (ALF 32), **F21T5** (ALF 44), or **F28T5** (ALF 56).
(For Dimmable Electronic and High Output models, please consult the factory.)

Andorra

Developed for Luraline by award-winning designer Louis A. Lara, Andorra pendant, sconce, ceiling and bath strip fixtures bring a new aesthetic to the world of lighting. Frosted white or self-frosting clear acrylic materials are combined with

uniquely shaped satin-finish acrylic cowls in four jewel tones that are infused with a soft glow when lit. This marriage of shape, color and materials creates beautiful compositions of light and form, whether in hospitality, commercial or residential applications. Lamping options for Andorra include incandescent, compact fluorescent and compact fluorescent with electronic ballast. Finished with brushed nickel details, Andorra is also available in custom colors and configurations upon request.

ANDORRA SPECIFICATIONS

APPLICATIONS: Commercial and residential interiors.

CONSTRUCTION: Fixture housings are constructed of cold-rolled steel and heavy-gauge, pre-finished aluminum sheet. Cord-hung models supplied pre-wired with 72-inch, black, three-conductor 18-3 SVT and ceiling canopy; stem-hung models supplied with 24" long, 1/4 IP stem and heavy-duty, hang-straight (45 degree) swivel canopy.

DIFFUSER: Composed of a unique, new self-matting acrylic, that has inherent properties, which cause the material to "frost" when illuminated, resulting in maximized lumen utilization (efficiency) plus enhanced diffusion of lamp image. The visual characteristics of this premium material provide a rich matte appearance comparable to etched glass, with none of the breakage, handling and cleaning issues typically associated with etched or sandblasted materials. Offered in either clear (Ice) or white (Snow) frosted finishes.

Custom-colored overlays (cowls) are composed of translucent acrylic with a frosted finish, providing a soft satin glow, in choice of four shimmering colors.

LAMPING: Choice of Incandescent (*i*) or Compact Fluorescent (*f/e*). Consult Ordering Guide for specific lamp types and wattages per fixture.

BALLAST: Fluorescent (*f*): Normal Power Factor magnetic 120-volt 60 Hz.

Electronic (*e*): High Power Factor (>.97), universal voltage (120-277), with smart circuitry that senses lamp wattage and supply voltage (50/60 Hz), plus protects lamp and ballast at the end of the lamp life. Specification-grade features include true 0-degree start (-18 degrees c.), >.98 Ballast factor, <3% flicker and <10% Total harmonic Distortion (THD). Ballast is housed in fixture canopy. For dimmable electronic models, please consult the factory.


SOCKET: Incandescent - Medium-base porcelain with nickel-plated screw shell and center contact. Compact Fluorescent - Heat-resistant thermoplastic with lamp-retention clips, providing for secure lamp fit and easy push-pull re-lamping.

MOUNTING: Ceiling, Pendant (cord or stem) and Wall-mount fixtures are designed for attachment to a recessed four-inch outlet box.

FASTENERS: Plated steel, brass and aluminum.

FINISHES: Interior reflective surfaces finished with white enamel coating. Visible trim details, stem and canopy plated with brushed nickel finish. Custom color matching available with submittal of sample chip.



COMPLIANCES: U.L. listed.



Mix and match any Andorra color, with Snow or Ice diffuser and create the mood that best suits your environment.

ANDORRA ORDERING GUIDE

Example:



(1) MOUNTING

ACM - Ceiling Mount
 ALF - Linear Fluorescent
 APC - Cord-hung Pendant
 APS - Stem-hung Pendant
 AWS - Wall Sconce

(2) MODEL

14 or 18
 32, 44 or 56
 14 or 18
 14 or 18
 6, 14 or 18

(3) LIGHT SOURCE

i - Accepts incandescent 120V (medium base) lamps.

f - Includes 13 Watt compact fluorescent double twin tube lamp (GX23-2 base). Supplied with 120-volt Normal Power Factor magnetic ballast.

e - ALF models include 14-, 21- or 28-Watt T5 lamps (mini bi-pin base). Other models include 18 or 26 Watt compact fluorescent triple twin tube lamp (G24qx 4-pin base). Supplied with universal voltage (120-277) High Power Factor electronic ballast.

Not available on Cord-hung Pendant (APC) models.

For dimmable electronic models - please consult the factory.

*Pendant models (APC, APS) supplied "bare lamp". Optional 6" white polycarbonate globe diffuser available for Compact Fluorescent (e/f) models. Add suffix "WPC" to catalog number when ordering.

LAMPS*

By others - consult individual fixture data charts for specific lamp types and wattages.

Includes lamp **DTT13** (APC, APS models) or **TT13** (ACM, AWS models). Please note: Two (2) lamps supplied per ACM 14 and AWS 18; three (3) lamps supplied per ACM 18.

Includes lamp **TTT26** (APS 14), **TTT32** (APS 18), **DTT18** (ACM 14 and AWS 14), **DTT26** (ACM 18 and AWS 18) or **F14T5**, **F21T5** or **F28T5** on ALF models. Please note: Two (2) lamps supplied per ACM 14, ACM 18 and ALF models.

(4) COLOR SELECTION

CI - Citrine Ice
CS - Citrine Snow

EI - Emerald Ice
ES - Emerald Snow

RI - Ruby Ice
RS - Ruby Snow

SI - Sapphire Ice
SS - Sapphire Snow



"The most important element to take into consideration when designing light fixtures is, of course, the light itself. It is a factor of the equation and must be treated as such with regard to the materials that are used to contain and deliver it. Light played a critical role in the creation of the Andorra line, dictating materials and forms necessary to accomplish the desired result. I am intrigued by the softness of light and wanted to create a fixture that conveyed this quality. Both Andorra's materials and design allow the subtleties of light to be brought into play."

Louis A. Lara



Andorra

Designer Series by

LURALINE

2388 NW 150 Street • Opa Locka, FL 33054 • 800.940.6588 • Fax: 305.685.6500

www.luraline.com